

Appendix 1 - Bird Species Recorded at Long Valley, Ho Sheung Heung and Fung Shui woodland west of Ho Sheung Heung

Common Name ⁽¹⁾	Scientific Name	Distribution in Hong Kong ⁽²⁾	Principal Status ⁽³⁾	Level of Concern ⁽⁴⁾	Protection Status in China ⁽⁵⁾	China Red Data Book ⁽⁶⁾	IUCN Red List (Version 2013.2) ⁽⁷⁾
Chinese Francolin	<i>Francolinus pintadeanus</i>	Common	R	-	-	-	-
Japanese Quail	<i>Coturnix japonica</i>	Scarce	W	LC	-	-	Near Threatened
Taiga Bean Goose	<i>Anser fabalis</i>	Found in Mai Po	-	-	-	-	-
Tundra Bean Goose	<i>Anser serrirostris</i>	Found in Mai Po	-	-	-	-	-
Greylag Goose ⁽⁹⁾	<i>Anser anser</i>	Occasional	-	-	-	-	-
Mandarin Duck ⁽⁹⁾	<i>Aix galericulata</i>	Scarce	-	-	Class II	Vulnerable	-
Gadwall ⁽⁹⁾	<i>Anas strepera</i>	Scarce	W	-	-	-	-
Falcated Duck ⁽⁹⁾	<i>Anas falcata</i>	Uncommon	W	RC	-	-	Near Threatened
Eurasian Wigeon ⁽⁹⁾	<i>Anas penelope</i>	Winter Visitor	W	RC	-	-	-
Mallard ⁽⁹⁾	<i>Anas platyrhynchos</i>	Uncommon	W	RC	-	-	-
Indian Spot-billed Duck ⁽⁹⁾	<i>Anas poecilorhyncha</i>	Resident	W,P	RC	-	-	-
Chinese Spot-billed Duck	<i>Anas zonorhyncha</i>	Resident and winter visitor	-	-	-	-	-
Northern Shoveler ⁽⁹⁾	<i>Anas clypeata</i>	Abundant	W	RC	-	-	-
Northern Pintail ⁽⁹⁾	<i>Anas acuta</i>	Abundant	W	RC	-	-	-
Garganey ⁽⁹⁾	<i>Anas querquedula</i>	Common	M,W	-	-	-	-
Eurasian Teal ⁽⁹⁾	<i>Anas crecca</i>	Common	W	RC	-	-	-
Little Grebe ⁽⁹⁾	<i>Tachybaptus ruficollis</i>	Common	P	LC	-	-	-
Eurasian Spoonbill ⁽⁸⁾⁽⁹⁾	<i>Platalea leucorodia</i>	Scarce	W	LC	Class II	Vulnerable	-
Black-faced Spoonbill ⁽⁹⁾	<i>Platalea minor</i>	Common	W	PGC	Class II	Endangered	Endangered
Eurasian Bittern ⁽⁹⁾	<i>Botaurus stellaris</i>	Scarce	W	RC	-	-	-
Yellow Bittern ⁽⁹⁾	<i>Ixobrychus sinensis</i>	Uncommon	M,Su	(LC)	-	-	-
Von Schrenck's Bittern ⁽⁹⁾	<i>Ixobrychus eurhythmus</i>	Scarce	M	RC	-	-	-
Cinnamon Bittern ⁽⁹⁾	<i>Ixobrychus cinnamomeus</i>	Scarce	M	LC	-	-	-
Black Bittern ⁽⁹⁾	<i>Dupetor flavicollis</i>	Scarce	M	LC	-	-	-
Japanese Night Heron	<i>Gorsachius goisagi</i>	Scarce	-	-	-	-	Endangered
Black-crowned Night Heron ⁽⁹⁾	<i>Nycticorax nycticorax</i>	Common	P	(LC)	-	-	-
Striated Heron ⁽⁹⁾	<i>Butorides striatus</i>	Uncommon in summer, Scarce in winter	Su	(LC)	-	-	-
Chinese Pond Heron ⁽⁹⁾	<i>Ardeola bacchus</i>	Common	P	PRC (RC)	-	-	-
Eastern Cattle Egret ⁽⁹⁾	<i>Bubulcus coromandus</i>	Common	P	(LC)	-	-	-
Grey Heron ⁽⁹⁾	<i>Ardea cinerea</i>	Common	W	PRC	-	-	-
Purple Heron ⁽⁹⁾	<i>Ardea purpurea</i>	Uncommon	AM,P	RC	-	-	-
Great Egret ⁽⁹⁾	<i>Ardea modesta</i>	Common	P	PRC (RC)	-	-	-
Intermediate Egret ⁽⁹⁾	<i>Egretta intermedia</i>	Common	M,P	RC	-	-	-
Little Egret ⁽⁹⁾	<i>Egretta garzetta</i>	Common	P	PRC (RC)	-	-	-
Swinhoe's Egret ⁽⁹⁾	<i>Egretta eulophotes</i>	Scarce	SpM	GC	Class II	Endangered	Vulnerable
Dalmatian Pelican ⁽⁸⁾⁽⁹⁾	<i>Pelecanus crispus</i>	Uncommon	W	RC	Class II	-	Vulnerable
Great Cormorant ⁽⁹⁾	<i>Phalacrocorax carbo</i>	Common	W	PRC	-	-	-
Western Osprey ⁽⁸⁾⁽⁹⁾	<i>Pandion haliaetus</i>	Common	W	RC	-	Rare	-
Black Baza ⁽⁸⁾	<i>Aviceda leucophotes</i>	Uncommon	M,Su	-	Class II	-	-
Crested Honey Buzzard ⁽⁸⁾	<i>Pernis ptilorhynchus</i>	Scarce	AM	LC	Class II	Vulnerable	-
Black-winged Kite ⁽⁸⁾	<i>Elanus caeruleus</i>	Occasional	O	LC	Class II	Vulnerable	-
Black Kite ⁽⁸⁾⁽⁹⁾	<i>Milvus migrans</i>	Common	W,R	(RC)	Class II	-	-
White-bellied Sea Eagle ⁽⁸⁾⁽⁹⁾	<i>Haliaeetus leucogaster</i>	Uncommon	R	(RC)	Class II	-	-
Eurasian Black Vulture ⁽⁸⁾	<i>Aegypius monachus</i>	Rare	W	-	Class II	Vulnerable	Near Threatened
Crested Serpent Eagle ⁽⁸⁾	<i>Spilornis cheela</i>	Uncommon	R,M	(LC)	Class II	Vulnerable	-
Eastern Marsh Harrier ⁽⁸⁾⁽⁹⁾	<i>Circus spilonotus</i>	Common	W	LC	Class II	-	-
Pied Harrier ⁽⁸⁾	<i>Circus melanoleucos</i>	Scarce	AM	LC	Class II	-	-
Crested Goshawk ⁽⁸⁾	<i>Accipiter trivirgatus</i>	Uncommon	R	-	Class II	Rare	-
Chinese Sparrowhawk ⁽⁸⁾	<i>Accipiter soloensis</i>	Uncommon	SpM	-	Class II	-	-
Japanese Sparrowhawk ⁽⁸⁾	<i>Accipiter gularis</i>	Uncommon	M	-	Class II	-	-
Besra ⁽⁸⁾	<i>Accipiter virgatus</i>	Scarce	R	-	Class II	-	-
Eurasian Sparrowhawk ⁽⁸⁾	<i>Accipiter nisus</i>	Scarce	W	-	Class II	-	-
Northern Goshawk	<i>Accipiter gentilis</i>	-	-	-	-	-	-
Grey-faced Buzzard ⁽⁸⁾	<i>Butastur indicus</i>	Uncommon	SpM	-	Class II	Rare	-
Eastern Buzzard ⁽⁸⁾⁽⁹⁾	<i>Buteo japonicus</i>	Common	W	-	Class II	-	-
Greater Spotted Eagle ⁽⁸⁾⁽⁹⁾	<i>Clanga clanga</i>	Scarce	W	GC	Class II	Rare	Vulnerable
Eastern Imperial Eagle ⁽⁸⁾⁽⁹⁾	<i>Aquila heliaca</i>	Common	W	GC	Class I	Vulnerable	Vulnerable
Bonelli's Eagle ⁽⁸⁾⁽⁹⁾	<i>Aquila fasciata</i>	Scarce	R	(RC)	Class II	Rare	-
Mountain Hawk Eagle ⁽⁸⁾	<i>Nisaetus nipalensis</i>	Occasional	-	-	Class II	-	-
Common Kestrel ⁽⁸⁾	<i>Falco tinnunculus</i>	Common	AM,W	-	Class II	-	-
Amur Falcon	<i>Falco amurensis</i>	Rare	-	-	Class II	-	-
Eurasian Hobby ⁽⁸⁾	<i>Falco subbuteo</i>	Uncommon	M,Su	(LC)	Class II	-	-
Peregrine Falcon ⁽⁸⁾⁽⁹⁾	<i>Falco peregrinus</i>	Scarce	R,W	(LC)	Class II	Rare	-
Slaty-legged Crane	<i>Rallina eurizonoides</i>	Common	P	-	-	-	-
Slaty-breasted Rail ⁽⁹⁾	<i>Gallirallus striatus</i>	Scarce	R	RC	-	Rare	-
Western Water Rail	<i>Rallus aquaticus</i>	Scarce	-	-	-	-	-
White-breasted Waterhen ⁽⁹⁾	<i>Amaurornis phoenicurus</i>	Common	R	-	-	-	-
Baillon's Crane ⁽⁹⁾	<i>Porzana pusilla</i>	Scarce	M	-	-	-	-
Ruddy-breasted Crane	<i>Porzana fusca</i>	Scarce	M,W	LC	-	-	-
Watercock ⁽⁹⁾	<i>Gallix cinerea</i>	Scarce	M	RC	-	-	-
Common Moorhen ⁽⁹⁾	<i>Gallinula chloropus</i>	Common	R	-	-	-	-
Eurasian Coot ⁽⁹⁾	<i>Fulica atra</i>	Common	W	RC	-	-	-
Yellow-legged Buttonquail	<i>Turnix tanki</i>	Scarce	M	-	-	-	-
Barred Buttonquail	<i>Turnix suscitator</i>	Scarce	M	-	-	Indeterminate	-
Black-winged Stilt ⁽⁹⁾	<i>Himantopus himantopus</i>	Common	W	RC	-	-	-
Pied Avocet ⁽⁹⁾	<i>Recurvirostra avosetta</i>	Abundant	W	RC	-	-	-
Northern Lapwing ⁽⁹⁾	<i>Vanellus vanellus</i>	Scarce	W	LC	-	-	-

Appendix 1 - Bird Species Recorded at Long Valley, Ho Sheung Heung and Fung Shui woodland west of Ho Sheung Heung

Grey-headed Lapwing ⁽⁹⁾	<i>Vanellus cinereus</i>	Scarce	W	LC	-	-	-
Pacific Golden Plover ⁽⁹⁾	<i>Pluvialis fulva</i>	Common	M,W	LC	-	-	-
Grey Plover ⁽⁹⁾	<i>Pluvialis squatarola</i>	Abundant	W	RC	-	-	-
Little Ringed Plover ⁽⁹⁾	<i>Charadrius dubius</i>	Common	W,R	(LC)	-	-	-
Kentish Plover ⁽⁹⁾	<i>Charadrius alexandrinus</i>	Abundant	W	RC	-	-	-
Greater Painted-snipe ⁽⁹⁾	<i>Rostratula benghalensis</i>	Passage migrant and winter visitor	M,R	LC	-	-	-
Pheasant-tailed Jacana ⁽⁹⁾	<i>Hydrophasianus chirurgus</i>	Scarce	M	LC	-	-	-
Eurasian Woodcock	<i>Scolopax rusticola</i>	Scarce	W	-	-	-	-
Pintail Snipe ⁽⁹⁾	<i>Gallinago stenura</i>	Common	M	-	-	-	-
Swinhoe's Snipe ⁽⁹⁾	<i>Gallinago megala</i>	Uncommon	M	LC	-	-	-
Common Snipe ⁽⁹⁾	<i>Gallinago gallinago</i>	Common	W	-	-	-	-
Asian Dowitcher ⁽⁹⁾	<i>Limnodromus semipalmatus</i>	Common	M	RC	-	Rare	Near Threatened
Black-tailed Godwit ⁽⁹⁾	<i>Limosa limosa</i>	Common	M,W	RC	-	Indeterminate	Near Threatened
Little Curlew ⁽⁹⁾	<i>Numenius minutus</i>	Scarce	SpM	LC	-	-	-
Whimbrel ⁽⁹⁾	<i>Numenius phaeopus</i>	Common	M	LC	-	-	-
Eurasian Curlew ⁽⁹⁾	<i>Numenius arquata</i>	Abundant	W/M	RC	-	-	Near Threatened
Far Eastern Curlew ⁽⁹⁾	<i>Numenius madagascariensis</i>	Scarce	M	LC	-	-	Vulnerable
Spotted Redshank ⁽⁹⁾	<i>Tringa erythropus</i>	Abundant	W/M	RC	-	-	-
Common Redshank ⁽⁹⁾	<i>Tringa totanus</i>	Common	W	RC	-	-	-
Marsh Sandpiper ⁽⁹⁾	<i>Tringa stagnatilis</i>	Common	M,W	RC	-	-	-
Common Greenshank ⁽⁹⁾	<i>Tringa nebularia</i>	Abundant	M,W	RC	-	-	-
Green Sandpiper ⁽⁹⁾	<i>Tringa ochropus</i>	Uncommon	W	-	-	-	-
Wood Sandpiper ⁽⁹⁾	<i>Tringa glareola</i>	Common	M,W	LC	-	-	-
Grey-tailed Tattler ⁽⁹⁾	<i>Tringa brevipes</i>	Common	M	LC	-	-	-
Terek Sandpiper ⁽⁹⁾	<i>Xenus cinereus</i>	Common	M	RC	-	-	-
Common Sandpiper ⁽⁹⁾	<i>Actitis hypoleucos</i>	Common	M,W	-	-	-	-
Red-necked Stint ⁽⁹⁾	<i>Calidris ruficollis</i>	Abundant	M	LC	-	-	-
Temminck's Stint ⁽⁹⁾	<i>Calidris temminckii</i>	Uncommon	M,W	LC	-	-	-
Long-toed Stint ⁽⁹⁾	<i>Calidris subminuta</i>	Uncommon	M	LC	-	-	-
Pectoral Sandpiper ⁽⁹⁾	<i>Calidris melanotos</i>	Scarce	M	LC	-	-	-
Sharp-tailed Sandpiper ⁽⁹⁾	<i>Calidris acuminata</i>	Common	M	LC	-	-	-
Curlew Sandpiper ⁽⁹⁾	<i>Calidris ferruginea</i>	Common	SpM	RC	-	-	-
Dunlin ⁽⁹⁾	<i>Calidris alpina</i>	Abundant	W	RC	-	-	-
Broad-billed Sandpiper ⁽⁹⁾	<i>Limicola falcinellus</i>	Uncommon	M	LC	-	-	-
Ruff ⁽⁹⁾	<i>Philomachus pugnax</i>	Scarce	M	LC	-	-	-
Red-necked Phalarope ⁽⁹⁾	<i>Phalaropus lobatus</i>	Common	M	-	-	-	-
Oriental Pratincole ⁽⁹⁾	<i>Glaucopis maldivarum</i>	Passage migrant	M	LC	-	-	-
Black-headed Gull ⁽⁹⁾	<i>Chroicocephalus ridibundus</i>	Common	W	PRC	-	-	-
Mew Gull ⁽⁹⁾	<i>Larus canus</i>	Scarce	W	LC	-	-	-
Bridled Tern	<i>Onychoprion anaethetus</i>	Uncommon	Su,M	-	-	-	-
Whiskered Tern ⁽⁹⁾	<i>Chlidonias hybrida</i>	Uncommon	M	-	-	-	-
White-winged Tern ⁽⁹⁾	<i>Chlidonias leucopterus</i>	Uncommon	M	-	-	-	-
Domestic Pigeon	<i>Columba livia</i>	Common	R	-	-	-	-
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	Common	W	-	-	-	-
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	Po, Tsim Bei Tsui, 8	-	-	-	-	-
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	Uncommon	AM	-	-	-	-
Spotted Dove	<i>Streptopelia chinensis</i>	Abundant	R	-	-	-	-
Common Emerald Dove	<i>Chalcophaps indica</i>	Scarce	R	-	-	Vulnerable	-
Yellow-crested Cockatoo ⁽⁸⁾	<i>Cacatua sulphurea</i>	Common	R	-	-	-	Critically Endangered
Rose-ringed Parakeet	<i>Psittacula krameri</i>	Scarce	R	-	Class II	-	-
Greater Coucal	<i>Centropus sinensis</i>	Common	R	-	Class II	Vulnerable	-
Lesser Coucal	<i>Centropus bengalensis</i>	Common	R	-	Class II	Vulnerable	-
Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	Uncommon	Su	-	-	-	-
Asian Koel	<i>Eudynamys scolopacea</i>	Common	Su,R	-	-	-	-
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	Uncommon	Su	-	-	-	-
Large Hawk Cuckoo	<i>Hierococcyx sparveriioides</i>	Common	Su	-	-	-	-
Indian Cuckoo	<i>Cuculus micropterus</i>	Uncommon	Su	-	-	-	-
Oriental Cuckoo	<i>Cuculus optatus</i>	Scarce	M	-	-	-	-
Collared Scops Owl ⁽⁸⁾	<i>Otus lettia</i>	Common	R	-	Class II	-	-
Eurasian Eagle Owl ⁽⁸⁾	<i>Bubo bubo</i>	Scarce	R	RC	Class II	Rare	-
Asian Barred Owlet ⁽⁸⁾	<i>Glaucidium cuculoides</i>	Uncommon	R	-	Class II	-	-
Savanna Nightjar	<i>Caprimulgus affinis</i>	Uncommon	Su,W	-	-	-	-
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	Scarce	SpM	-	-	-	-
White-throated Needletail	<i>Hirundapus caudacutus</i>	Uncommon	SpM	-	-	-	-
Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>	Uncommon	SpM	-	Class II	-	-
Common Swift	<i>Apus apus</i>	Vagrant	-	-	-	-	-
Pacific Swift	<i>Apus pacificus</i>	Common	SpM,Su	(LC)	-	-	-
House Swift	<i>Apus nipalensis</i>	Common	R,SpM	-	-	-	-
White-throated Kingfisher ⁽⁹⁾	<i>Halcyon smyrnensis</i>	Common	AM,P	(LC)	-	-	-
Black-capped Kingfisher ⁽⁹⁾	<i>Halcyon pileata</i>	Common	AM,W	(LC)	-	-	-
Common Kingfisher ⁽⁹⁾	<i>Alcedo atthis</i>	Common	AM,P	-	-	-	-
Pied Kingfisher ⁽⁹⁾	<i>Ceryle rudis</i>	Uncommon	R	(LC)	-	-	-
Blue-tailed Bee-eater	<i>Merops philippinus</i>	Scarce	-	-	-	-	-
Blue-throated Bee-eater	<i>Merops viridis</i>	Scarce	M	-	-	-	-
Eurasian Hoopoe	<i>Upupa epops</i>	Occasional	OV	-	-	-	-
Eurasian Wrenneck	<i>Jynx torquilla</i>	Uncommon	W,M	-	-	-	-
Speckled Piculet	<i>Picumnus innominatus</i>	Occasional	-	LC	-	-	-
Grey-headed Woodpecker	<i>Picus canus</i>	Occasional	OV	LC	-	-	-
Black-winged Cuckoo-shrike	<i>Coracina melaschistos</i>	Scarce	AM,W	-	-	-	-
Swinhoe's Minivet	<i>Pericrocotus cantonensis</i>	Occasional	M	LC	-	-	-
Scarlet Minivet	<i>Pericrocotus speciosus</i>	Common	R	-	-	-	-

Appendix 1 - Bird Species Recorded at Long Valley, Ho Sheung Heung and Fung Shui woodland west of Ho Sheung Heung

Bull-headed Shrike	<i>Lanius bucephalus</i>	Rare	AM,W	-	-	Rare	-
Brown Shrike	<i>Lanius cristatus</i>	Common	SpM	-	-	-	-
Red-backed Shrike	<i>Lanius collurio</i>	Vagrant	-	-	-	-	-
Long-tailed Shrike	<i>Lanius schach</i>	Common	R	-	-	-	-
Black-naped Oriole	<i>Oriolus chinensis</i>	Scarce	AM	LC	-	-	-
Black Drongo	<i>Dicrurus macrocercus</i>	Common	M,Su	-	-	-	-
Hair-crested Drongo	<i>Dicrurus hottentottus</i>	Common	M,Su,W	-	-	-	-
Black-naped Monarch	<i>Hypothymis azurea</i>	Uncommon	W,M	-	-	-	-
Asian Paradise-Flycatcher	<i>Terpsiphone paradisi</i>	Scarce	M	LC	-	-	-
Japanese Paradise-Flycatcher	<i>Terpsiphone atrocaudata</i>	Scarce	M	LC	-	-	Near Threatened
Azure-winged Magpie	<i>Cyanopica cyanus</i>	Very scarce	-	-	-	-	-
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	Common	R	-	-	-	-
Eurasian Magpie	<i>Pica pica</i>	Common	R	-	-	-	-
Carrión Crow	<i>Corvus corone</i>	Rare	-	-	-	-	-
Collared Crow	<i>Corvus torquatus</i>	Uncommon	R	LC	-	-	Near Threatened
Japanese Waxwing	<i>Bombycilla japonica</i>	Occasional	-	-	-	-	Near Threatened
Cinereous Tit	<i>Parus cinereus</i>	Common	R	-	-	-	-
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Common	M,W	RC	-	-	-
Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	Vagrant	-	-	-	-	-
Eurasian Skylark	<i>Alauda arvensis</i>	Rare	W?	-	-	-	-
Oriental Skylark	<i>Alauda gulgula</i>	Scarce	W,P	LC	-	-	-
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	Abundant	R	-	-	-	-
Chinese Bulbul	<i>Pycnonotus sinensis</i>	Abundant	R	-	-	-	-
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	Uncommon	R	-	-	-	-
Chestnut Bulbul	<i>Hemixos castanonotus</i>	Common	R,W	-	-	-	-
Black Bulbul	<i>Hypsipetes leucocephalus</i>	Uncommon	W	-	-	-	-
Grey-throated Martin	<i>Riparia chinensis</i>	Vagrant	-	-	-	-	-
Pale Martin	<i>Riparia diluta</i>	Uncommon	SpM	-	-	-	-
Barn Swallow	<i>Hirundo rustica</i>	Abundant	SpM,Su	-	-	-	-
Asian House Martin	<i>Delichon dasypus</i>	Uncommon	M	-	-	-	-
Red-rumped Swallow	<i>Cecropis daurica</i>	Uncommon	M	-	-	-	-
Mountain Tailorbird	<i>Phyllogates cucullatus</i>	Uncommon	-	-	-	-	-
Japanese Bush Warbler	<i>Horornis diphone</i>	-	-	-	-	-	-
Brown-flanked Bush Warbler	<i>Horornis fortipes</i>	Uncommon	W	-	-	-	-
Asian Stubtail	<i>Urosphena squameiceps</i>	Common	W	-	-	-	-
Willow Warbler	<i>Phylloscopus trochilus</i>	Vagrant	-	-	-	-	-
Common Chiffchaff	<i>Phylloscopus collybita</i>	Rare	-	-	-	-	-
Dusky Warbler	<i>Phylloscopus fuscatus</i>	Common	W	-	-	-	-
Radde's Warbler	<i>Phylloscopus schwarzi</i>	Scarce	AM,W	-	-	-	-
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	Common	W	-	-	-	-
Arctic Warbler	<i>Phylloscopus borealis</i>	Common	AM	-	-	-	-
Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>	Scarce	M,W	-	-	-	-
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	Uncommon	AM	-	-	-	-
Bianchi's Warbler	<i>Seicercus valentini</i>	Rare	?	-	-	-	-
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Common	M	-	-	-	-
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Common	M	-	-	-	-
Manchurian Reed Warbler	<i>Acrocephalus tangorum</i>	Rare	-	-	-	-	Vulnerable
Paddyfield Warbler	<i>Acrocephalus agricola</i>	Scarce	-	-	-	-	-
Sykes's Warbler	<i>Iduna rama</i>	Rare	-	-	-	-	-
Russet Bush Warbler	<i>Locustella mandelli</i>	Rare	W	-	-	-	-
Lanceolated Warbler	<i>Locustella lanceolata</i>	Scarce	AM	-	-	-	-
Middendorff's Grasshopper Warbler	<i>Locustella ochotensis</i>	Rare	-	-	-	-	-
Styan's Grasshopper Warbler	<i>Locustella pleskei</i>	Rare	W	GC	-	-	Vulnerable
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Common	AM	LC	-	-	-
Zitting Cisticola	<i>Cisticola juncidis</i>	Common	W	LC	-	-	-
Golden-headed Cisticola	<i>Cisticola exilis</i>	Scarce	W	LC	-	-	-
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	Common	R	-	-	-	-
Plain Prinia	<i>Prinia inornata</i>	Common	R	-	-	-	-
Common Tailorbird	<i>Orthotomus sutorius</i>	Common	R	-	-	-	-
Chinese Hwamei	<i>Garrulax canorus</i>	Common	R	-	-	-	-
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	Abundant	R	-	-	-	-
Greater Necklaced Laughingthrush	<i>Garrulax pectoralis</i>	Common	R	-	-	-	-
White-browed Laughingthrush	<i>Garrulax sannio</i>	Scarce	R	-	-	-	-
Lesser Whitethroat	<i>Sylvia curruca</i>	Vagrant	-	-	-	-	-
Japanese White-eye	<i>Zosterops japonicus</i>	Abundant	R,?W	-	-	-	-
Crested Myna	<i>Acridotheres cristatellus</i>	Common	R	-	-	-	-
Common Myna	<i>Acridotheres tristis</i>	Uncommon	R	-	-	-	-
Red-billed Starling⁽⁹⁾	<i>Spodiopsar sericeus</i>	Common	W	RC	-	-	-
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Common	W	PRC	-	-	-

Appendix 1 - Bird Species Recorded at Long Valley, Ho Sheung Heung and Fung Shui woodland west of Ho Sheung Heung

Black-collared Starling	<i>Gracupica nigricollis</i>	Common	R	-	-	-	-
Daurian Starling	<i>Agropsar sturninus</i>	Scarce	M	LC	-	-	-
Chestnut-cheeked Starling	<i>Agropsar philippensis</i>	Scarce	M	-	-	-	-
White-shouldered Starling	<i>Sturnia sinensis</i>	Common	M,W,Su	(LC)	-	-	-
Chestnut-tailed Starling	<i>Sturnus malabaricus</i>	Rare	-	-	-	-	-
Rosy Starling	<i>Pastor roseus</i>	Rare	-	-	-	-	-
Common Starling	<i>Sturnus vulgaris</i>	Scarce	W	LC	-	-	-
White's Thrush	<i>Zoothera aurea</i>	Uncommon	W	-	-	-	-
Grey-backed Thrush	<i>Turdus hortulorum</i>	Common	W	-	-	-	-
Japanese Thrush	<i>Turdus cardis</i>	Uncommon	M,W	-	-	-	-
Common Blackbird	<i>Turdus merula</i>	Common	W,M	-	-	-	-
Eyebrowed Thrush	<i>Turdus obscurus</i>	Scarce	M	-	-	-	-

Appendix 1 - Bird Species Recorded at Long Valley, Ho Sheung Heung and Fung Shui woodland west of Ho Sheung Heung

Pale Thrush	<i>Turdus pallidus</i>	Uncommon	M,W	-	-	-	-
Brown-headed Thrush	<i>Turdus chrysolaus</i>	Rare	W,M	LC	-	-	-
Dusky Thrush	<i>Turdus eunomus</i>	Rare	W	LC	-	-	-
Bluethroat	<i>Luscinia svecica</i>	Common	W	LC	-	-	-
Siberian Rubythroat	<i>Luscinia calliope</i>	Common	W	-	-	-	-
Rufous-tailed Robin	<i>Luscinia sibilans</i>	Uncommon	W,SpM	-	-	-	-
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	Common	W	-	-	-	-
Oriental Magpie Robin	<i>Copsychus saularis</i>	Abundant	R	-	-	-	-
Daurian Redstart	<i>Phoenicurus aureoreus</i>	Common	W	-	-	-	-
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	Common	W,M	-	-	-	-
Grey Bush Chat	<i>Saxicola ferreus</i>	Scarce	AM,W	LC	-	-	-
Blue Rock Thrush	<i>Monticola solitarius</i>	Uncommon	W,M	-	-	-	-
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	Uncommon	M	-	-	-	-
Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	Uncommon	AM	-	-	-	-
Asian Brown Flycatcher	<i>Muscicapa latirostris</i>	Common	M,W	-	-	-	-
Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>	Scarce	SpM	PRC	-	-	-
Narcissus Flycatcher	<i>Ficedula narcissina</i>	Scarce	SpM	-	-	-	-
Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	Uncommon	M,W	-	-	-	-
Red-throated Flycatcher	<i>Ficedula albicilla</i>	Uncommon	AM,W	-	-	-	-
Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	Uncommon	SpM	-	-	-	-
Verditer Flycatcher	<i>Eumyias thalassinus</i>	Scarce	W	-	-	-	-
Hainan Blue Flycatcher	<i>Cyornis hainanus</i>	Uncommon	Su	-	-	-	-
Plain Flowerpecker	<i>Dicaeum minullum</i>	Scarce	-	-	-	-	-
Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>	Common	R	-	-	-	-
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	Common	R	-	-	-	-
Eurasian Tree Sparrow	<i>Passer montanus</i>	Abundant	R	-	-	-	-
White-rumped Munia	<i>Lonchura striata</i>	Common	R	-	-	-	-
Scaly-breasted Munia	<i>Lonchura punctulata</i>	Common	R	-	-	-	-
Chestnut Munia	<i>Lonchura atricapilla</i>	Scarce	?	-	-	-	-
Forest Wagtail	<i>Dendronanthus indicus</i>	Scarce	M	-	-	-	-
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Common	M,W	-	-	-	-
Citrine Wagtail	<i>Motacilla citreola</i>	Scarce	M,W	LC	-	-	-
Grey Wagtail	<i>Motacilla cinerea</i>	Common	W	-	-	-	-
White Wagtail	<i>Motacilla alba</i>	Common	W,R	-	-	-	-
Richard's Pipit	<i>Anthus richardi</i>	Common	W,R	-	-	-	-
Olive-backed Pipit	<i>Anthus hodgsoni</i>	Common	W	-	-	-	-
Pechora Pipit	<i>Anthus gustavi</i>	Scarce	M	LC	-	-	-
Rosy Pipit	<i>Anthus roseatus</i>	Vagrant	-	-	-	-	-
Red-throated Pipit	<i>Anthus cervinus</i>	Common	M,W	LC	-	-	-
Buff-bellied Pipit	<i>Anthus rubescens</i>	Rare	W	LC	-	-	-
Brambling	<i>Fringilla montifringilla</i>	Scarce	M	-	-	-	-
Common Rosefinch	<i>Carpodacus erythrinus</i>	Rare	W	LC	-	-	-
Grey-capped Greenfinch	<i>Carduelis sinica</i>	Rare	R,M	LC	-	-	-
Eurasian Siskin	<i>Carduelis spinus</i>	Scarce	W	-	-	-	-
Crested Bunting	<i>Emberiza lathamii</i>	Rare	R	LC	-	-	-
Ortolan Bunting	<i>Emberiza hortulana</i>	Vagrant	-	-	-	-	-
Chestnut-eared Bunting	<i>Emberiza fucata</i>	Scarce	M	LC	-	-	-
Little Bunting	<i>Emberiza pusilla</i>	Common	W	-	-	-	-
Yellow-browed Bunting	<i>Emberiza chrysophrys</i>	Scarce	M	-	-	-	-
Rustic Bunting	<i>Emberiza rustica</i>	Rare	-	-	-	-	-
Yellow-breasted Bunting	<i>Emberiza aureola</i>	Common	M	RC	-	-	Endangered
Chestnut Bunting	<i>Emberiza rutila</i>	Common	M	-	-	-	-
Black-headed Bunting	<i>Emberiza melanocephala</i>	Rare	-	-	-	-	-
Red-headed Bunting	<i>Emberiza bruniceps</i>	Found in Lam Tsuen, Long Valley	-	-	-	-	-
Japanese Yellow Bunting	<i>Emberiza sulphurata</i>	Scarce	SpM	GC	-	-	Vulnerable
Black-faced Bunting	<i>Emberiza spodocephala</i>	Common	M,W	-	-	-	-
Pallas's Reed Bunting	<i>Emberiza pallasi</i>	Scarce	-	-	-	-	-

Note:

- (1) All wild birds are Protected under Wild Animal Protection Ordinance (Cap. 170)
- (2) AFCD (2012a). Hong Kong Biodiversity Database
- (3) Carey et al. (2001). R=resident; W=winter visitor; Su=summer visitor; M=migrant; Sp=spring; P=present all year, exact composition unknown
- (4) Fellowes et al. (2002): GC=Global Concern; LC=Local Concern; RC=Regional Concern; PRC=Potential Regional Concern; PGC: Potential Global Concern. Letters in parentheses indicate that the assessment is on the basis of restrictedness in nesting and/or roosting sites rather than in general occurrence.
- (5) List of Wild Animals Under State Protection (promulgated by State Forestry Administration and Ministry of Agriculture on 14 January, 1989). [國家重點保護野生動物名錄(1989)
- (6) Zheng, G. M. and Wang, Q. S. (1998).
- (7) IUCN (2013). IUCN Red List of Threatened Species. Version 2013.1
- (8) Protected under Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586)
- (9) Wetland-dependent species (including wetland-dependent species and waterbirds)